

# EMR & Billing Services 2020 Display Advertising Rate Card

Effective January 1, 2020

Braveheart Group, LLC 185 State Route 17 Suite 4 Mahwah, NJ 07430 Tel: 201-529-4004 Fax: 201-529-4007

## **Editorial:**

JUCM, The Journal of Urgent Care Medicine is the Official Publication of the Urgent Care Association (UCA). Each issue contains a mix of useful, peer-reviewed clinical and practice management articles which address the needs of clinicians, executives and administrators working in urgent care centers.

Established: October 1, 2006

**Issuance:** 11x per year

(Combined July/August issue)

# **Publishing Staff:**

Publisher and Display Ad Sales

Stuart Williams (201) 529-4004 swilliams@jucm.com

Editor-in-Chief

Joshua W. Russell, MD <a href="mailto:editor@jucm.com">editor@jucm.com</a>

**Executive Editor** 

Harris Fleming <a href="mailto:hfleming@jucm.com">hfleming@jucm.com</a>

Editor, Practice Management

Alan A. Ayers, MBA, MAcc

Editor, Clinical

Michael B. Weinstock, MD

Associate Editor, Pediatrics
David J. Mathison, MD

# **Publishing Staff (continued):**

**Contributing Editors** 

Monte Sandler Cornelius O'Leary, MD

**Art Director** 

Tom DePrenda tdeprenda@jucm.com

Classified Ad Sales

Samantha Rentz Community Brands (727) 497-6565 x3322

samantha.rentz@communitybrands.com

## **Circulation:**

**Print:** 17,500 **Digital:** 8,700

## **Audience:**

The circulation includes qualified clinicians, owners, executives and administrators working in urgent care facilities nationwide.

# **Subscription Rates:**

Individual \$50 Institutional \$105

https://www.jucm.com/subscribe/

# **Display Rates:**

| <b>Black and White</b> | 1x    | 3x    | 6x    | 9x    | 11x   | 18x   | 24x   |
|------------------------|-------|-------|-------|-------|-------|-------|-------|
| Full Page              | 7,940 | 7,830 | 7,720 | 7,590 | 7,480 | 7,390 | 7,250 |
| 2/3 Page               | 6,350 | 6,280 | 6,160 | 6,080 | 5,980 | 5,920 | 5,820 |
| 1/2 Page               | 5,590 | 5,470 | 5,400 | 5,310 | 5,250 | 5,150 | 5,070 |
| 1/3 Page               | 3,980 | 3,940 | 3,860 | 3,810 | 3,720 | 3,680 | 3,630 |

# **Color Charges:**

Second color (CMY): \$60 Matched color (PMS): \$80 3 and 4-color process: \$1,0 No color

**\$600** per page or fraction **\$800** per page or fraction **\$1,000** per page or fraction

No charge

# **Special Position Premiums:**

Fourth Cover: 50%
Second Cover: 35%
First Table of Contents: 15%
Second Table of Contents: 0ther Special Positioning: 10%

# Ad Sizes and Bleed Sizes: Earned Rates:

Full ROB pages, fractional ads, and insert pages each count as one time toward the earned frequency during one contract year. Space purchased by a parent company and its subsidiaries may be combined for computation of the earned rate.

| Page Sizes  | Non-Bleed Page    | Bleed Page*        |  |  |
|---|-------------------|--------------------|--|--|
| Journal Trim Size                                       | 8" w x 10.75" h   |                    |  |  |
| Spread  | 14" w x 9.75" h   | 16.5" w x 11" h    |  |  |
| Full Page   | 7" w x 9.75" h    | 8.25" w x 11" h    |  |  |
| 2/3 Page  | 4.5" w x 9.75" h  | 5.25" w x 11" h    |  |  |
| 1/2 Page<br>Horizontal                                  | 7" w x 4.875" h   | 8.25" w x 5.625" h |  |  |
| 1/2 Page<br>Vertical                                    | 3.25" w x 9.75" h | 4" w x 11" h       |  |  |
| 1/3 Page<br>Vertical                                    | 2.25" w x 9.75" h | 3" w x 11" h       |  |  |
| *All Bleed ads must keep all live matter 1/2" from trim |                   |                    |  |  |

# **Discounts:**

Fifteen percent commission to recognized agencies invoice date. Publisher shall have the right to hold the advertiser and/or its advertising agency jointly and severally liable for such monies as are due and payable to the publisher for payment within 30 days of invoice; 15% subject to withdrawal on accounts not paid within 60 days of advertising which the advertiser or its agent ordered and for which advertising was published.

# **Closing and Materials Dates:**

| 2020             |             |               |                  |  |
|------------------|-------------|---------------|------------------|--|
| Issue            | Publication | Ad<br>Closing | Materials<br>Due |  |
| January          | JUCM        | 12/11/2019    | 12/16/2019       |  |
| February         | JUCM        | 1/9/2020      | 1/14/2020        |  |
| March            | JUCM        | 2/13/2020     | 2/17/2020        |  |
| April            | JUCM        | 3/12/2019     | 3/17/2020        |  |
| May              | JUCM        | 4/13/2020     | 4/17/2020        |  |
| June             | JUCM        | 5/14/2020     | 5/19/2020        |  |
| July/<br>August  | JUCM        | 6/11/2020     | 6/16/2020        |  |
| Buyer's<br>Guide |             |               | 8/5/2019         |  |
| September        | JUCM        | 814/2020      | 8/18/2020        |  |
| October          | JUCM        | 9/14/2020     | 9/17/2020        |  |
| November         | JUCM        | 10/15/2020    | 10/20/2020       |  |
| December         | JUCM        | 11/13/2020    | 11/17/2020       |  |

## **Insert Rates:**

|        | 6x     | 12x    | 24x    | 36x    |
|--------|--------|--------|--------|--------|
| 2 Page | 15,440 | 14,960 | 14,500 | 14,120 |
| 4 Page | 30,880 | 29,920 | 29,000 | 28,240 |
| 6 Page | 46,320 | 44,880 | 43,500 | 42,360 |
| 8 Page | 61,760 | 59,840 | 58,000 | 56,480 |

## **Insertion Orders—Send to:**

JUCM, The Journal of Urgent Care Medicine Braveheart Group 185 State Route 17, 2nd Fl Mahwah, NJ 07430 Fax: (201) 529-4007

# **Insert Size Requirements:**

2 Page Insert Size: Glue Tip - 7.75" x 11"

# 4 Page Insert Size:

swilliams@jucm.com

**Glue Tip:**15.5" x 11", furnished folded to 7.75" x 11" **Center Bind-**16.625" x 11", Furnished folded with a 3/8" (0.375") high folio lap. (Front piece 8.125", Back side 8.5").

## **Insert Weight Requirements:**

80# text preferred; 60# text minimum. All tipped inserts must be submitted to Braveheart Group for approval prior to binding.

# **Binding and Trimming:**

**Binding:** Saddle stitched, jogs to head. Inserts are glue tipped to interior signature.

**Trimming:** 1/8" (0.125") trimmed off top, bottom and face. Keep all live matter 1/2" (0.5") from trim edges. Finished trim size of the book  $8" \times 10.75"$ . Note that a 1/2" (0.5") safety must be applied to both sides of the gutter edge of the insert.

**Disposition of Material:** Material furnished for advertising reproduction will be destroyed 12 months subsequent to issue date unless otherwise instructed.

**Insert Quantity: 18,000** 

# **Insert Shipping:**

JUCM, The Journal of Urgent Care Medicine Cadmus Specialty Publications 2910 Byrdhill Rd Richmond, VA 23228 989-698-5528 Attn: Elizabeth Jones Issue Date, Quantity, Advertiser 804-261-3000 x5168

## **Production Materials:**

Email: swilliams@jucm.com

JUCM, The Journal of Urgent Care Medicine
Braveheart Group
185 State Route 17, 2nd Floor
Mahwah, NJ 07430
Phone: (201) 529-4004
Fax: (201) 529-4007

## **Recruitment and Classified Advertising:**

Samantha Rentz
Career Center Representative
Community Brands
samantha.rentz@communitybrands.com
Phone: (727) 497-6565 x3322
Website: job.jucm.com

# **2020 Bonus Distribution:**

UCA Annual Meeting—**May Issue**NERUCA Conference—**October Issue** 

# **JUCM: EMR & Billing Services**

# 2020 Rate Card

### **Additional Services:**

Editorial Reprints, Sponsorships of Supplements, Sponsored Subscriptions, and Special Projects are available. Please contact publisher for a quote.

**Braveheart Group** Stuart Williams 201-529-4004 swilliams@jucm.com

#### **General Information:**

## Acceptance of Advertising

Advertising is subject to approval by the publisher, which reserves the right to reject any advertising for any reason. Advertiser shall indemnify and hold harmless the Publisher and Editor of the Journal from and against any loss, expense, claim, or liability resulting from their advertisement.

### Policy on Placement of Advertising

Advertisements are dispersed between and within selected editorial features and departments and are rotated fairly.

#### **Digital File Specifications:**

#### **Online Art Guidelines are Available Here:**

https://www.CenveoPublisherServices.com/ art-quidelines

#### File formats

PDF is the preferred file format. We accept PDF/X-1a+ files that adhere to the page geometry requirements (next col-umn). Single-page PDF files are the standard for production and are required for certain types of automation processes. If you must send multiple-page PDF files, please discuss this with your Cenveo account manager. Pages contained in each multiple-page PDF file must be contiguous. Do not merge multiple PDF files into a single PDF file. This can create font ID conflicts and cause type characters in the merged file to drop unexpectedly.

# **Submitting PDF Files**

We accept native page-layout application files created in Adobe InDesign for Macintosh (up to and including Adobe InDesign CC 2014) and Adobe InDesign for Windows (up to and including Adobe InDesign CS5.5). We accept native page-layout application files created in QuarkXPress for Macintosh (up to and including QuarkXPress 10) and Windows (up to and including QuarkXPress 8.5).

#### FILE CONSTRUCTION CONSIDERATIONS

#### **Imported Image Files**

- Industry standard is for continuous-tone-type images to be saved to CMYK or Grayscale mode. Optimum resolution of continuous tone-type images is 2 times the line screen at which the publication will be produced. Minimum recommended resolution is 1.5 times the line screen at which the publication will be produced.
- Line-art scans should be saved to Bitmap mode and should have an effective resolution no lower than 600 ppi. The optimum resolution for this type of image is 1200 ppi.
  Apply custom effects (colorizing, rotation, and other special effects) in the photo-retouching program.
  Supply a directory listing all files copied to transfer media, or all files that are transferred electronically.
  Supply a composite proof with color content clearly indicated.

- Color proofs are preferred for files with color

## **Page Geometry Requirements**

### **PAGE-LAYOUT APPLICATION FILE DIMENSIONS**

The page-layout file must be set up to the true-trim size of the publication. Bleed elements must extend beyond the page by 1/8" (0.125") on the trim sides.

#### PDF FILE DIMENSIONS

The originating page-layout application file must be set to the true-trim size of the publication. The overall (Media Box) size of the PDF file must be exactly trim-size-plus-one-inch with exactly one-half inch of space on each side of the trim to accommodate bleed and marks. This PDF file must include a valid TrimBox and crop/registration marks. Bleed elements must extend beyond the page by 1/8" (0.125") on the trim sides, and crop marks must fall completely outside of the bleed area.

## **Imported Art Files**

- Files should be set for high resolution output. Files will be output to a device resolution of 2400 dpi.
- Select all text and convert to outlines before saving to import into the page layout.
- Be sure that the colors are specified properly in your files. Make sure that colors are set to CMYK rather than RGB. If elements are to print in a spot color, be sure the spot color name matches exactly to the spot color name for the same color used in the page-layout application. Make sure that spot colors are correctly designated as "Spot" and that process colors are correctly designated as "CMYK" or
- "Process Separation". Be aware of effects that can be caused by transparency and flattener settings. We recommend that all transparency be flat-
- flattener settings. We recommend that all transparency be flattened in the final page file that is submitted for processing.

   We accept native page-layout application files that are created in QuarkXPress and Adobe InDesign. If you are sending application files (rather than PDF files), it is important that you supply all of the elements that went into the building of those files: fonts, art files, and high-resolution image files.

   Avoid use of third-party XTensions or Plug-Ins in your page-layout application if you are supplying native files.

   Avoid font menu styling to create type effects. Avoid use of TrueType fonts.
- TrueType fonts.
- Be sure colors are specified properly in your files. If you've created any custom colors or are using Pantone colors, be sure they're designated as "Process Separation" or "Spot" depending on the intent. Delete any unused colors from the palette. Make sure all elements intended to print in the same spot (Pantone) color are assigned exactly the same spot color name.

## Coloring Black Elements

- All text that are to be black must be only colored as 100%
- All text that are to be black must be only colored as 100% black or a screen of black. Do not use Registration or a Process build to define the black element.
  All barcodes must to be black and colored as 100% black. Do not use Registration or a Process build to define the barcode.
  Rich Black elements should be built as C=30% M=30% Y=30% K=100%, Do not use for text.

# Confirmation

- Supply a directory listing all files copied to transfer media, or all files that are transferred electronically.
- Supply a composite proof with color content clearly indicated. Color proofs are preferred for files with color content.